Technical Document **2967** August 1997

INTEGRALS IN THE TOPLOSKY RIB FORMULATION

G. A. Lengua

Approved for public release; distribution is unlimited.

19970924 026

DEMOGRATIC STREET OF STREET







Naval Command, Control and Ocean Surveillance Center RDT&E Division, San Diego, CA 92152–5001

Technical Document **2967** August 1997

INTEGRALS IN THE TOPLOSKY RIB FORMULATION

G. A. Lengua

Approved for public release; distribution is unlimited.





NAVAL COMMAND, CONTROL AND OCEAN SURVEILLANCE CENTER RDT&E DIVISION San Diego, California 92152–5001

H. A. WILLIAMS, CAPT, USN Commanding Officer

R. C. KOLB Executive Director

ADMINISTRATIVE INFORMATION

This document was prepared by the Modeling Technology Branch of the Naval Command, Control and Ocean Surveillance Center (NCCOSC) RDT&E Division (NRaD), San Diego, CA 92152–5001, for the Office of Naval Research, PEO-ASTO, Arlington, VA 22217 under program element 0603747N.

Released under authority of P. M. Reeves, Head Surveillance Analysis and Simulation Division

CONTENTS

BA	CKGROUND	1						
	EGRALS	2						
NUI	NUMERICAL CONSIDERATIONS							
HIGH-FREQUENCY APPROXIMATIONS								
	EXAMPLE							
	SUMMARY							
REFERENCES								
		4						
Figures								
1.	Comparison for $I_{35,1}$ (cosine part)	5						
	Comparison for $I_{35,1}$ (sine part)	5						
	Comparison for $I_{35,2}$ (cosine part)	6						
	Comparison for $I_{35,2}$ (sine part)	6						
	Comparison for $I_{35,3}$ (cosine part)	7						
	Comparison for $I_{35,3}$ (sine part)	7						
	Comparison for $I_{26,1}$	8						
	Comparison for $I_{26,2}$	8						
	Comparison for I_{263}	۵						

BACKGROUND

The Toplosky solution (Toplosky and Vogelsong, 1993) for scattering from a rib (or ribs), based on the approach by Stepanishen (1978), is expressed in terms of several response Green's functions. The response Green's functions (or plate cross-admittance functions) are

$$\begin{split} \Gamma_0 &\equiv G_F(\varkappa_m | \varkappa_n) = \frac{k}{2\pi} \int_{-\infty}^{+\infty} Y(\xi) e^{ik\xi(x_m - x_n)} d\xi \;, \\ \Gamma_1 &\equiv G_M(\varkappa_m | \varkappa_n) = \frac{k}{2\pi} \int_{-\infty}^{+\infty} ik\xi Y(\xi) e^{ik\xi(x_m - x_n)} d\xi \;, \\ \Gamma_2 &\equiv G'_M(\varkappa_m | \varkappa_n) = \frac{k}{2\pi} \int_{-\infty}^{+\infty} (ik\xi)^2 \; Y(\xi) e^{ik\xi(x_m - x_n)} d\xi \;, \end{split}$$

where k is the wavenumber and $Y(\xi)$ is the admittance of a fluid loaded plate.

$$Y(\xi) = \frac{1}{Z_p(\xi) + Z_a(\xi)},$$

where

$$Z_a(\xi) = \frac{\rho c}{\sqrt{1 - \xi^2}}$$

is the acoustic radiation impedance, with ρ and c the fluid density and sound speed.

$$Z_p(\xi) = i\omega \rho_p h \left[\Omega^2 \xi^4 - 1\right]$$

is the impedance of an unstiffened Bernoulli-Euler (thin) plate, where ρ_p and h are the density and thickness of the plate and $\Omega = \frac{\omega}{\omega_c}$. The coincidence frequency

$$\omega_c = \frac{\sqrt{12}c^2}{hc_p},$$

with $c_p = \sqrt{\frac{E}{\rho_p(1-v^2)}}$. E and v are the Young's modulus and Poisson's ratio of the plate.

Note that the use of a Bernoulli–Euler plate impedance is not justified in the case of a thick plate. When $\Omega > 1$, the results are not valid. Toplosky used it to avoid divergences in his formulation encountered with a Timoshenko–Mindlin plate impedance. The root of the problem was his use of a force dipole line moment, which cannot be supported by a Timoshenko–Mindlin plate (Rumerman, 1979).

INTEGRALS

The Green's functions are evaluated using contour integration. There are branch points at $\xi = \pm 1$ as well as poles in the complex ξ -plane, some on the real axis. The L-shaped Sommerfeld branch cuts are used. The results may be expressed as

$$\Gamma_J = 2\pi i \sum \text{residues}_J - I_{35,J} - I_{26,J}$$

where

$$\begin{split} I_{35,J}(d) &= \, -\frac{k}{\pi} \int_0^1 (ik\xi)^J \frac{\rho \, c \sqrt{1-\xi^{\,2}}}{\left(\omega \rho_p h\right)^2 \left(\Omega^2 \xi^{\,4} - 1\right)^2 \left(1-\xi^{\,2}\right) + \left(\rho c\right)^2} e^{ikd\xi} d\xi \;, \\ I_{26,J}(d) &= i \frac{k}{\pi} \int_0^\infty \left(-k\xi\right)^J \frac{\rho c \sqrt{1+\xi^{\,2}}}{\left(\omega \rho_p h\right)^2 \left(\Omega^2 \xi^{\,4} - 1\right)^2 \left(1+\xi^{\,2}\right) + \left(\rho c\right)^2} e^{-kd\xi} d\xi \;. \end{split}$$

The advantages of these expressions for numerical integration may be seen. In the case of an oscillatory integrand, the interval is simply [0,1]. In the case of an infinite interval, the integrand has exponential damping. The upper limit may therefore be set to a reasonable value (Toplosky uses 8).

NUMERICAL CONSIDERATIONS

Toplosky calculates the Green's functions using simple Romberg integration. This is sufficient at low frequencies. However, at high frequencies, the rational factor has a sharp peak near $\xi = \Omega^{-1/2}$ (width $\Delta \xi \propto \Omega^{-3/2}$), which may cause convergence problems, especially in combination with a rapidly oscillating exponential factor. Variable step size integration, such as in ordinary differential equation solvers, will provide superior performance. For $I_{26,J}$, when $d \neq 0$, the decaying exponential factor negates the significance of the peak.

HIGH-FREQUENCY APPROXIMATIONS

Based on the previous considerations, the integrals may be approximated when $\Omega >> 1$. Again, note that the Toplosky formulation is not valid when $\Omega > 1$. However, despite this, we will find some useful results, as will be seen later.

We will begin with $I_{35, J}$ first. Change the integration variable to $z = \sqrt{\Omega \xi}$, so

$$I_{35,J}(d) = -\frac{k}{\pi} \frac{\rho c}{\sqrt{\Omega}} \left(\frac{ik}{\sqrt{\Omega}}\right)^J \int_0^{\sqrt{\Omega}} z^J \frac{\sqrt{1 - \frac{z^2}{\Omega}}}{\left(\omega \rho_p h\right)^2 \left(z^4 - 1\right)^2 \left(1 - \frac{z^2}{\Omega}\right) + \left(\rho c\right)^2} \exp\left(i\frac{kd}{\sqrt{\Omega}}z\right) dz ,$$

and the peak is now at z = 1. Note that $z^4 - 1 = (z^2 + 1)(z + 1)(z - 1) \approx 4(z - 1)$ in the vicinity of the peak, and that z^2/Ω is negligible there as well. Therefore,

$$\begin{split} I_{35,J}(d) &\approx -\frac{\rho c k \sqrt{\Omega - 1}}{\pi} \left(\frac{i k}{\sqrt{\Omega}}\right)^J \int_0^{\sqrt{\Omega}} \frac{\exp\left(i \frac{k d}{\sqrt{\Omega}} z\right) dz}{\left[4\omega \rho_p h \sqrt{1 - \frac{1}{\Omega}}\right]^2 (z - 1)^2 + (\rho c)^2} \;, \\ &\approx -\frac{k}{\pi} \frac{\exp\left(i \frac{k d}{\sqrt{\Omega}}\right)}{4\omega \rho_p h \sqrt{\Omega}} \left(\frac{i k}{\sqrt{\Omega}}\right)^J \int_{-y_0}^{y_0 \sqrt{\Omega}} \frac{\exp\left(i \frac{k d}{\sqrt{\Omega}} \frac{y}{y_0}\right) dy}{y^2 + 1} \;, \end{split}$$

where $y_0 = 4kh\frac{\rho_p}{\rho}\sqrt{1-1/\Omega} = 8\sqrt{3}\frac{\rho_p\,c}{\rho c_p}\Omega\sqrt{1-1/\Omega} \gg 1$ for all practical problems. Thus, taking the integration limits as $\pm\infty$, we finally find

$$I_{35,}J(d) \approx -\frac{\exp\left(-\frac{\rho d}{4\rho_p h\sqrt{\Omega}}\right)}{4\rho_p ch\sqrt{\Omega}} \exp\left(i\frac{\omega_c d\sqrt{\Omega}}{c}\right) \left(i\frac{\omega_c \sqrt{\Omega}}{c}\right)^J.$$

In considering approximations to $I_{26, J}$, we must examine the case d = 0 separately.

$$I_{26,J}(0) = i \frac{k}{\pi} \frac{\rho c}{\sqrt{\Omega}} \left(-\frac{k}{\sqrt{\Omega}} \right)^J \int_0^{\infty} z^J \frac{\sqrt{1 + \frac{z^2}{\Omega}}}{\left(\omega \rho_p h\right)^2 \left(z^4 - 1\right)^2 \left(1 + \frac{z^2}{\Omega}\right) + \left(\rho c\right)^2} dz \; .$$

The development follows that for $I_{35, J}$,

$$I_{26,J}(0) \approx i \frac{k}{\pi} \frac{1}{4 \, \omega \rho_p \, h \, \sqrt{\Omega}} \bigg(-\frac{k}{\sqrt{\Omega}} \bigg)^J \int_{-y_0}^{\infty} \!\! \frac{dy}{y^2+1} \, , \label{I26J}$$

where $y_0=4kh\frac{\rho_p}{\rho}\sqrt{1+1/\Omega}=8\sqrt{3}\,\frac{\rho_p\,c}{\rho c_p}\Omega\,\sqrt{1+1/\Omega}\gg 1$. Thus,

$$I_{26,J}(0) \approx i \frac{1}{4\rho_{p} ch\sqrt{\Omega}} \left(-\frac{\omega_{c} \sqrt{\Omega}}{c} \right)^{J}.$$

When $d \neq 0$, the main contribution to $I_{26,J}$ comes from a region where $\xi << 1$. Therefore,

$$\begin{split} I_{26,J}(d) &\approx i \frac{k}{\pi} \frac{\rho c}{\left(\omega \rho_p h\right)^2 + \left(\rho c\right)^2} \left(-k\right)^J \int_0^\infty \xi^{J} e^{-kd\xi} d\xi \;, \\ &\approx i \frac{1}{\pi d} \frac{\rho c}{\left(\omega_c \rho_p h\Omega\right)^2 + \left(\rho c\right)^2} \left(-\frac{1}{d}\right)^J \left(J!\right) \;. \end{split}$$

EXAMPLE

Let us consider a 5-cm-thick steel plate (coincidence frequency of 4.7 kHz). The "exact" and approximate results are compared in figures 1 through 9. We find that the approximation of $I_{35,J}$ is accurate (within 10%) for $\Omega > 2$. The approximation of $I_{26,J}$ is accurate for $\Omega > 0.2$. It is this result that makes the analysis worthwhile. Similar results are found for a 2.5-cm-thick steel plate (coincidence frequency of 9.4 kHz).

SUMMARY

Approximations to integrals in the Toplosky rib formulation have been found. Though derived for high frequencies, many are useful over a much broader range. These approximations save a great deal of computation time.

REFERENCES

- Rumerman, M. L. 1979. "Nonspecular Acoustic Backscattering from Finite Plates," *Journal of the Acoustical Society of America*, vol. 65, pp. 1121–1126.
- Stepanishen, P. R. 1978. "The Acoustic Transmission and Scattering Characteristics of a Plate with Line Impedance Discontinuities," *Journal of Sound and Vibrations*, vol. 58, pp. 257–272.
- Toplosky, N. and R. D. Vogelsong. 1993. "The Influence of Rib Interaction on the Acoustic Scattering from an Elastic Plate," NUWC-NPT Technical Report 10,349, (Sep), Naval Undersea Warfare Center, Newport, RI.




Figure 1. Comparison for $I_{35,1}$ (cosine part).




Figure 2. Comparison for $I_{35,1}\,$ (sine part).




Figure 3. Comparison for $I_{35,2}$ (cosine part).




Figure 4. Comparison for $I_{35,2}$ (sine part).




Figure 5. Comparison for $I_{35,3}$ (cosine part).




Figure 6. Comparison for $I_{35,3}\,$ (sine part).




Figure 7. Comparison for $I_{26,1}$.




Figure 8. Comparison for $I_{26,2}$.




Figure 9. Comparison for $I_{26,3}$.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

and to the Office of Management and Budget, P	aportion riedection rioject (0704-0188), vva	ashington, DC 20503.	5 Jerrerson Davis Highway, Suite 1204, Arlington, VA 22202-4302,
AGENCY USE ONLY (Leave blank)	2. REPORT DATE		3. REPORT TYPE AND DATES COVERED
4. TITLE AND SUBTITLE	August 199) 7	Final
INTEGRALS IN THE TOPLOSKY RIB FORMULATION 6. AUTHOR(S) G. A. Lengua			5. FUNDING NUMBERS PE: 0603747N SP: S2142 WU: SU07 AN: DN305495
7. PERFORMING ORGANIZATION NAME(S) AN Naval Command, Control and RDT&E Division San Diego, CA 92152–5001 9. SPONSORING/MONITORING AGENCY NAM Office of Naval Research PEO–ASTO Arlington, VA 22217 11. SUPPLEMENTARY NOTES	nd Ocean Surveillance Cent	er	8. PERFORMING ORGANIZATION REPORT NUMBER TD 2967 10. SPONSORING/MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES 12a. DISTRIBUTION/AVAILABILITY STATEMENT			
Approved for public release;			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words)			
Approximations to integrate quencies, many are useful or time.	als in the Toplosky rib form ver a much broader range.	nulation have been for These approximation	und. Though derived for high fress save a great deal of computation
14. SUBJECT TERMS Mission area: Surveillance			15. NUMBER OF PAGES
acoustics			17
sonars target modeling			16. PRICE CODE
	19 SECHBITY OF ASSISTEDATION	Lto officially of the	
OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASS OF ABSTRACT	SIFICATION . 20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFII	ED SAME AS REPORT

)

21a. NAME OF RESPONSIBLE INDIVIDUAL G. A. Lengua	21b. TELEPHONE (include Area Code) (619) 553-1026 lengua@nosc.mil	21c. OFFICE SYMBOL Code D711

INITIAL DISTRIBUTION

Code D0012	Patent Counsel	(1)
Code D0271	Archive/Stock	(6)
Code D0274	Library	(2)
Code D0271	D. Richter	(1)
Code D711	D. Dickerson	(1)
Code D711	G. Lengua	(5)

Defense Technical Information Center Fort Belvoir, VA 22060–6218 (4)

NCCOSC Washington Liaison Office Arlington, VA 22245–5200

Center for Naval Analyses Alexandria, VA 22302–0268

Navy Acquisition, Research and Development Information Center (NARDIC) Arlington, VA 22244–5114

GIDEP Operations Center Corona, CA 91718–8000

Naval Undersea Warfare Center Division Newport, RI 02841–5047

Naval Surface Warfare Center Carderock Division David Taylor Model Basin Bethesda, MD 20084–5000

PEO (USW)-ASTO Arlington, VA 22242-5169